

Stormwater Management

410-887-3768

March 16, 2018

Geoffrey A. Tizard II, P.E.
EA Engineering
225 Schilling Circle, Suite 400
Hunt Valley, MD 21031

RE: Hernwood Sanitary Landfill
 Leachate Treatment System Upgrades
 Stormwater Management Fee-in-Lieu
 Patapsco River Watershed
 EPS Project I.D. M140024
 Tracking Number: 04-18-2676

Dear Mr. Tizard:

This office has reviewed the information submitted and finds that a variance can be granted for this project under Section 33-4-113 of the Baltimore County Code. This section of the regulations allows a stormwater management variance to be granted if there were exceptional circumstances such that strict adherence to the provisions of this article would result in unreasonable hardship or practical difficulty and not fulfill the intent of this article. In approving the variance, the following conditions must be met:

1. All runoff must be conveyed to a suitable outfall without imposing an adverse impact on the receiving waterbody, watercourse, wetland, storm drain or adjacent property.
2. The total area of land disturbance must be noted on the plan, limits of disturbance must be shown on the plan.
3. As much as possible, impervious areas should be conveyed as sheet flow through vegetated areas without concentrating or causing erosion.
4. Building down spouts should be discharged onto pervious areas where feasible.
5. Additional development on these parcels and/or lots will require stormwater management controls for this site and the additional subdivision.
6. A payment shall be made to the Stormwater Management Fund in the amount of \$6,000.00 or \$60,000.00 per on-site impervious acre, in this case, 0.10 acres. This payment shall be made prior to EA approval. This is the rate for non-residential properties outside the Priority Funding Area and Urban Rural Demarcation Line. The payment should be in the form of a check payable to Baltimore County Maryland and should be submitted to the Finance and Administration Section of this Department.

Please contact Michael P. Doyle at 410-887-3768 should you have any questions.

Very truly yours,

/signed/

James A. Markle, P.E., Manager
Department of Environmental Protection
& Sustainability

JAM:jcm

c: Finance and Administration
 Michael P. Doyle